

致富鋁業股份有限公司

電話:06-3841816

傳真:06-3841742

模具規格表 - 圓管

外徑	內徑	厚度	外徑	內徑	厚度	外徑	內徑	厚度
mm	mm	mm	mm	mm	mm	mm	mm	mm
14	5.8	4.1	21.9	12.6	4.65	27	3	12
14	11.4	1.3	22.2	10.3	5.95	27	20.5	3.25
15.8	4.45	5.675	22.2	19.3	1.45	27.1	21.8	2.65
16	12	2	22.2	19.8	1.2	27.1	21.98	2.56
16.5	10.5	3	23.4	12.4	5.5	27.5	18.8	4.35
17	12	2.5	23.5	15.9	3.8	28.4	12.4	8
17.6	10.3	3.65	24	5	9.5	28.4	18.7	4.85
18	10.4	3.8	24	10.3	6.85	28.5	25.6	1.45
18.2	9.2	4.5	24.5	6.8	8.85	29.5	26.9	1.3
18.7	14.4	2.15	25	21	2	30	16	7
19	15.25	1.875	25	22	1.5	30	18.7	5.65
19.2	4.1	7.55	25.25	16.4	4.425	30	26	2
20	9	5.5	25.4	19.3	3.05	30.5	23.6	3.45
20	12.6	3.7	25.4	22.1	1.65	30.5	24.7	2.9
20	14.6	2.7	25.4	22.6	1.4	30.8	26.3	2.25
20	15.6	2.2	26.2	12.6	6.8	31	7	12
20.6	16.6	2	26.2	12.6	6.8	31	8.4	11.3
20.6	17.3	1.65	26.2	11.5	7.35	31.3	9.3	11
21.3	9.4	5.95	26.5	22.2	2.15	31.5	27	2.25

致富鋁業股份有限公司

電話:06-3841816

傳真:06-3841742

模具規格表 - 圓管

外徑	內徑	厚度	外徑	內徑	厚度	外徑	內徑	厚度
mm	mm	mm	mm	mm	mm	mm	mm	mm
31.5	28.1	1.7	37	19.3	8.85	41.3	32.3	4.5
31.8	18	6.9	37	29.4	3.8	42	31.5	5.25
32	17	7.5	37.1	34.1	1.5	42	33.5	4.25
32	19.2	6.4	37.2	26.2	5.5	42	38.9	1.55
32	28	2	37.5	27.8	4.85	42.1	37	2.55
32	29.2	1.4	37.5	33.1	2.2	42.5	16.5	13
32.5	22.5	5	37.8	34.7	1.55	43.6	39.6	2
33.3	29	2.15	38	34.7	1.65	43.8	40.2	1.8
33.3	29.5	1.9	38.3	22.5	7.9	45	22.5	11.25
33.4	15	9.2	38.5	35.4	1.55	45.5	29	8.25
34	27.6	3.2	39	17.5	10.75	46	25.5	10.25
34	29.6	2.2	39.5	35	2.25	46	26.5	9.75
34.5	29	2.75	39.6	35.6	2	46	43	1.5
35	17.5	8.75	40.4	24	8.2	46.4	36	5.2
35	27.8	3.6	40.4	31.5	4.45	46.8	41.7	2.55
35	29.6	2.7	40.4	32.3	4.05	46.8	43	1.9
35	31.6	1.7	40.7	36.7	2	46	25.8	10.1
36	8.4	13.8	41	35	3	48	45	1.5
36.5	17.5	9.5	41	38	1.5	49	17	16

致富鋁業股份有限公司

電話:06-3841816

傳真:06-3841742

模具規格表 - 圓管

外徑	內徑	厚度	外徑	內徑	厚度	外徑	內徑	厚度
mm	mm	mm	mm	mm	mm	mm	mm	mm
50	28.9	10.55	54	15.2	19.4	63	19.5	21.75
50	40	5	55	25	15	63.5	36.5	13.5
50	42	4	55	36.5	9.25	64	31.5	16.25
50	44	3	57	25.5	15.75	64	47.8	8.1
50	46	2	57	40	8.5	65.5	39.7	12.9
50.5	17.4	16.55	58.3	50.7	3.8	65.5	41	12.25
50.5	46.5	2	59	19	20	66	46	10
50.8	19	15.9	59	40	9.5	66	49.5	8.25
51.5	30	10.75	59	43	8	67	48	9.5
52	25	13.5	59	55	2	67	55	6
52	26.5	12.75	59.5	37	11.25	70	39.5	15.25
52	32.5	9.75	60.5	50	5.25	70	40	15
52	36.5	7.75	61	40	10.5	70.5	55.5	7.5
52	36.5	7.75	61	42	9.5	71.3	66.3	2.5
52.3	40	6.15	61	45.5	7.75	71.5	45	13.25
52.5	29.4	11.55	61	49.3	5.85	72	64	4
52.5	29.4	11.55	61.5	56.5	2.5	72.4	66.4	3
53	19	17	62	18.5	21.75	72.5	40	16.25
53	25	14	63.2	47.8	7.7	73	55.5	8.75

致富鋁業股份有限公司

電話:06-3841816

傳真:06-3841742

模具規格表 - 圓管

外徑	內徑	厚度	外徑	內徑	厚度	外徑	內徑	厚度
mm	mm	mm	mm	mm	mm	mm	mm	mm
74	51	11.5	81.5	43	19.25	95	78	8.5
74	55.5	9.25	81.5	59	11.25	96	63	16.5
74	68.6	2.7	82.5	41.4	20.55	96	76.8	9.6
75	66	4.5	83	57	13	96.5	58	19.25
75.4	69.4	3	85	37	24	100	66.6	16.7
76.2	41	17.6	85	75	5	100	86	7
76.2	44	16.1	87	47	20	102	96.7	2.65
76.2	58	9.1	87	55	16	103	44	29.5
76.2	59	8.6	89	63.5	12.75	103	65.5	18.75
76.2	62	7.1	89	47	21	103	74	14.5
76.8	72.8	2	89	53	18	103	88	7.5
77	49	14	89	76.8	6.1	104	95	4.5
77	53	12	90	18.5	35.75	106	92	7
77	61	8	90	26	32	108	73	17.5
78	37	20.5	90	63.5	13.25	110	100	5
78	44	17	91	59	16	113	94	9.5
78	49	14.5	91.5	64	13.75	116	72	22
79	55.7	11.65	93	74	9.5	116	89	13.5
81	43	19	95	86	4.5	116	100.8	7.6

